	Type	Hits	Search Text	DBs
1	BRS	10079	(light fixture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	4015	emergency (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2756	flood (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3074445	light or lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	3074445	S1 or S2 or S3 or S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	36664	(housing or casing or case) with (first (compartment or cavity or portion or chamber)) and (second (compartment or cavity or portion or chamber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	5834	two housing (portions or parts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	41991	S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	257543	(acute or obtuse) or (less than "180")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1823	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	629	S5 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	592	S11 and @ad < "20040316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	191	S11 and reflect$4 and ((light sourc$4) or bulb or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	249	S11 and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1	("4091441").PN.	US-PGPUB; USPAT; USOCR
16	BRS	42	("4287554").URPN.	USPAT
17	BRS	0	wide angle light fixture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	17	angl$6 light fixture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	580782	S5 and angl$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	15557	S5 and (((first housing) and (second housing)) or two housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	7193	S20 and angl$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	879	S20 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	373	S20 and S9 and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	276	S23 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	1	("5890793").PN.	USPAT
26	BRS	9	("1370842" \| "2352496" \| "4658337" \| "4707766" \| "4737895" \| "4782428" \| "5012396").PN.	US-PGPUB; USPAT; USOCR
27	BRS	3	("5890793").URPN.	USPAT

	Type	Hits	Search Text	DBs
28	IS&R	8	(("6783259") or ("5890793") or ("6203172") or ("1370842") or ("2352496") or ("4658337") or ("4707766") or ("4287554")).PN.	USPAT
29	BRS	22	("1719715" \| "1771444" \| "1976964" \| "20010053076" \| "2717336" \| "3204090" \| "3692993" \| "3789211" \| "3944878" \| "5161882" \| "5245519" \| "5345147" \| "5570946" \| "5575098" \| "5857763" \| "6402336" \| "6455767").PN.	US-PGPUB; USPAT; USOCR
30	BRS	0	("6783259").URPN.	USPAT
31	BRS	9	("1900807" \| "4117456" \| "4232359" \| "4302800" \| "4389699" \| "4488205" \| "4511953" \| "4531180").PN.	US-PGPUB; USPAT; USOCR
32	BRS	8	("4707766").URPN.	USPAT
33	BRS	8	("4707766").URPN.	USPAT
34	BRS	4	("2956149" \| "4282564" \| "4564886").PN.	US-PGPUB; USPAT; USOCR
35	BRS	11	("4658337").URPN.	USPAT
36	BRS	1	("4091441").PN.	US-PGPUB; USPAT; USOCR
37	BRS	42	("4287554").URPN.	USPAT
38	BRS	42	("4287554").URPN.	USPAT
39	BRS	8	("2352496").URPN.	USPAT
40	BRS	8	("2352496").URPN.	USPAT
41	BRS	9	("1370842" \| "2352496" \| "4658337" \| "4707766" \| "4737895" \| "4782428" \| "5012396").PN.	US-PGPUB; USPAT; USOCR
42	IS&R	1	("4095113").PN.	USPAT
43	BRS	22	("0828733" \| "1256522" \| "1583420" \| "2184644" \| "2356592" \| "2631588" \| "2733351" \| "3084258" \| "3271786" \| "3381289" \| "3483871").PN.	US-PGPUB; USPAT; USOCR
44	BRS	16	("4095113").URPN.	USPAT
45	BRS	10	("4095113" \| "4106083" \| "4177384" \| "4194125" \| "4196354" \| "4287554" \| "4309616" \| "4316094" \| "4349765" \| "4623796").PN.	US-PGPUB; USPAT; USOCR
46	BRS	15	("4703184").URPN.	USPAT
47	BRS	10327	362/11,20,225,177,194,199,208,227,228,234-243,249,269,276,282,296,297,298,310,317,322,410,413,427,431.ccls.	USPAT
48	BRS	98	340/815.77.ccls.	USPAT
49	BRS	0	S48 and S8	USPAT
50	BRS	70	S47 and S8 and angl$6	USPAT
51	BRS	8	S47 and S8 and S9	USPAT
52	BRS	120	S47 and S8	USPAT
53	BRS	141	S47 and S21	USPAT
54	BRS	114	S53 not S50	USPAT
55	BRS	2031	(first (light or lamp)) same (second (light or lamp)) same angl$6	USPAT
56	BRS	48	S47 and S55	USPAT
57	BRS	13042	(first (light or lamp)) and (second (light or lamp)) and angl$6	USPAT
58	BRS	363	S47 and S57	USPAT

59	BRS	315	S58 not S56	USPAT
60	BRS	313	S59 not S14	USPAT

	Type	Hits	Search Text	DBs
61	BRS	545	S11 and @ad < "20030425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	305	S60 and @ad < "20030425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	5	("5733036" \| "5803585" \| "6203173" \| "6206548" \| "6234643").PN.	US-PGPUB; USPAT; USOCR
64	BRS	7	("6450668").URPN.	USPAT
65	BRS	7	("6450668").URPN.	USPAT
66	BRS	2	("5649761" \| "5788518").PN.	US-PGPUB; USPAT; USOCR
67	BRS	6	("5941630").URPN.	USPAT
68	BRS	2	("5649761" \| "5788518").PN.	US-PGPUB; USPAT; USOCR
69	BRS	6	("4281370" \| "5086379" \| "5258899" \| "5335159" \| "5381323" \| "D361148").PN.	US-PGPUB; USPAT; USOCR
70	BRS	12	("5649761").URPN.	USPAT
71	BRS	3074445	(light or lamp) or (light fixture) or (flood light) or (emergency light) or (tanning (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	6791	(housing or casing) with V with shape$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1618	S71 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	(housing or casing) with "V-shape$4"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	6175	(housing or casing) with (V shape$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	1468	S71 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	236	S71 and S75 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	489	S71 and S75 and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	413351	(two or (first and second)) with ((light sources) or bulbs or tubes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	134	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	59	((wide or obtuse) angl$6) (housing or casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	31	S81 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	18978	((two or (first and second))) with (housing (portions or segments))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	2282	S79 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	57	((wide or obtuse) angl$6) and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	15	("4388567" \| "4392187" \| "4716344" \| "4855884" \| "5146153" \| "5580163" \| "5691604" \| "5752766" \| "6149283" \| "6331756" \| "6331813" \| "6390643" \| "6459217" \| "6548967" \| "6585395").PN.	US-PGPUB; USPAT; USOCR
87	BRS	0	("6908214").URPN.	USPAT

	Type	Hits	Search Text	DBs
88	BRS	15	("4388567" \| "4392187" \| "4716344" \| "4855884" \| "5146153" \| "5580163" \| "5691604" \| "5752766" \| "6149283" \| "6331756" \| "6331813" \| "6390643" \| "6459217" \| "6548967" \| "6585395").PN.	US-PGPUB; USPAT; USOCR
89	BRS	7	362/367.ccls. and 362/260.ccls.	US-PGPUB; USPAT; USOCR
90	BRS	6	("4404619" \| "5012396" \| "5172034" \| "5539281" \| "5890793" \| "5962989").PN.	US-PGPUB; USPAT; USOCR
91	BRS	7	("3733480" \| "4467247" \| "4508996" \| "4525649" \| "4782428" \| "4873618" \| "4876485").PN.	US-PGPUB; USPAT; USOCR
92	BRS	4	("5012396").URPN.	USPAT
93	BRS	474	362/367.ccls.	US-PGPUB; USPAT; USOCR
94	BRS	126	362/367.ccls. and reflect$4	US-PGPUB; USPAT; USOCR
95	IS&R	1	("6585395").PN.	USPAT
96	BRS	7	("4855884" \| "5084804" \| "5101326" \| "5580163" \| "5752766" \| "5920643" \| "6390643").PN.	US-PGPUB; USPAT; USOCR
97	BRS	1	("6585395").URPN.	USPAT
98	IS&R	1	("6585395").PN.	USPAT
99	IS&R	1	("4703184").PN.	USPAT
100	BRS	10	("4095113" \| "4106083" \| "4177384" \| "4194125" \| "4196354" \| "4287554" \| "4309616" \| "4316094" \| "4349765" \| "4623796").PN.	US-PGPUB; USPAT; USOCR
101	BRS	15	("4703184").URPN.	USPAT
102	BRS	31	kotovsky-irwin.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	393	607/90,94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	69	607/90,94.ccls. and housing and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	IS&R	1	("4287554").PN.	USPAT
106	BRS	10625	(light fixture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	4173	emergency (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	2840	flood (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	3197398	light or lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	3197398	S106 or S107 or S108 or S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	38396	(housing or casing or case) with (first (compartment or cavity or portion or chamber)) and (second (compartment or cavity or portion or chamber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	6015	two housing (portions or parts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	43886	S111 or S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	269375	(acute or obtuse) or (less than "180")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

115	BRS	1907	S113 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
116	BRS	677	S110 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
117	BRS	80847	reflector$2 and ((light sourc$2) or bulbs or tubes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	122	S116 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	112	S118 and @ad < "20040316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	170	362/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	112	362/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	514	362/269.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	523	362/298.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	9024	362/11,217,224,225,227,234,238,240,249,250,296,297,310,410,431.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	99	340/815.77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	198	607/94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	9316	S124 or S125 or S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	2464	S127 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	5	S127 and S117 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	16354	S110 and (((first housing) and (second housing)) or two housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	8507	S130 and ang$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	851	S131 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	BRS	379	S131 and S114 and reflect$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
134	BRS	7	S133 and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	BRS	0	((two or (first and second)) (light sources)) and (((housing or cas$5) portions) with adjacent angle) and (reflector with two (portions or parts)) .clm.	US-PGPUB
136	BRS	0	((two or (first and second)) (light sources)) and (((housing or cas$5) portions) with adjacent angle) and (reflector with two (portions or parts)) and (angl$4 opening shelter) .clm.	US-PGPUB

10/801,114 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L5	0	((two or (first and second)) (light sources)) and (((housing or cas$5) portions) with adjacent angle) and (reflector with two (portions or parts)) .clm.	US-PGPUB	2006/01/12 14:29
2	BRS	L6	0	((two or (first and second)) (light sources)) and (((housing or cas$5) portions) with adjacent angle) and (reflector with two (portions or parts)) and (angl$4 opening shelter) .clm.	US-PGPUB	2006/01/12 14:29

PALM Intranet

Application Number [] SEARCH

IDS Flag Clearance for Application 10801144

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer

UPDATE